

DCL-200 FD

W O L F
C I N E M A

Projector Worksheet

Date: _____

Contact Information

Dealer: _____ PO#: _____
Address: _____ Contact: _____
City: _____ Phone (office): _____
State: _____ Zip: _____ Phone (cell): _____
Email: _____

Product Information

Model: **DCL-200FD** Short Throw Lens: 1.5-2.1 (X 16/9 SW) Long Throw Lens: 2.1-4.0 (X 16/9 SW)
Throw Distance [screen surface to projector face]: _____ inches

VariScope™ Anamorphic Lens Options

VariScope FX™ WC-ANAVFXP-01 (Home Theater Prismatic Lens, Fixed, MSRP \$5,000)
VariScope FX™ WC-ANAVFXC-01 (Cinema Grade Cylindrical Lens, Fixed, MSRP \$10,000)

None (1.78 Aspect Ratio Screen)

Orientation Ceiling/Front Ceiling/Rear Floor/Front Floor/Rear

Power 110V 220V Country of Installation: _____

Screen Information

Manufacturer _____ Screen Material _____
Size Width: _____ inches Aspect Ratio(s) 2.35/2.40 = _____ X _____
Height: _____ inches 1.78 = _____ X _____
Diagonal: _____ inches (Height) (Width)

Projector Offset Measurements

Horizontal Offset – the distance center of lens from screen “center line”: _____ inches
(Ideal is “0” inches; this is when the projector is installed with lens positioned exactly along the vertical center line of the screen)

Vertical Offset – the distance the projector lens will be above screen top: _____ inches
(Ideal is “0” inches; this is when the projector is installed with lens at top of the viewable screen surface)

Note: The DCL projector provides for horizontal and vertical lens shift; refer to the latest product specifications for exact amount of available lens travel.

This worksheet has been reviewed and approved by

Name _____ Authorized Signature _____ Date _____